



FOLDAWAY AND BED MULTIFUNCTIONAL BED MECHANISMS



FOLDAWAY AND MULTIFUNCTIONAL BED MECHANISMS

"Smart Living" calls for innovative furniture that makes rooms both comfortable and versatile. Richelieu offers a wide range of ingenious bed mechanisms for opening up space and adding functionality. Our smart solutions for residential and commercial use maximize every square foot (meter) of space for a wide variety of rooms, including apartments, hotels and school dormitories.

Simple sliding and gliding mechanisms transform a sofa, a desk or a cabinet into a real bed for a good night's sleep. Highly functional, easy-to-use features create multipurpose living spaces that offer total comfort both day and night.


COMFORT • QUALITY • SAFETY • FUNCTIONALITY

	3
FOLDAWAY AND MULTIFUNCTIONAL BED MECHANISMS	
SLIDING MECHANISM	13
KANGAROO BED LIFT MECHANISMS	14 – 15
FOLDAWAY BED MECHANISMS	16 – 18
BED FRAMES	19
CASTERS FOR UNIT PANELS	20









mechanisms

Advantages

- Ingenious design one room becomes many: a work living space by day and a sleeping area by night
- Fits standard North American mattress dimensions (L x W). Mattress thickness varies from 7 to 13" (178 to 330 mm)
- Piston mechanism offers easy opening and secure closing
- Maximum static load rating up to 1322 lb (600 kg)
- Legs self-deploy automatically upon opening and are concealed when closed
- For residential and commercial use
- Limited lifetime warranty on all parts
- Designed and manufactured in Italy

How to build the cabinet

• The minimum required interior depth is based on a standard mattress thickness of 7" (180 mm). For a thicker mattress, adjust the depth of the unit.

For example, a mattress 10" thick (254 mm) requires a minimum depth of 14" (355 mm).

- Furniture panel thickness: minimum of 3/4" (19 mm)
- For more information, please visit our website at www.richelieu.com

Mattress size								
Single bed	39" x 75" (990 x 1905 mm)							
Double bed	54" x 75" (1371 x 1905 mm)							
Queen bed	60" x 80" (1524 x 2032 mm)							

How to choose the right piston

Step 1

Use this simple calculation:

weight of the door + weight of the mattress = total weight.

Step 2

Choose the piston with the next highest weight capacity.



STELLA - FOLDAWAY BED/DESK MECHANISM WITH CONCEALED AUTOMATIC LEGS

Description

Advantages

- The foldaway Stella bed mechanism with concealed, auto-deploying legs creates an attractive open space with two functions. In the closed position, Stella offers a work desk for daytime use, while at night, it transforms into a comfortable bed for a restful sleep.
- The legs and desk component are synchronized to move with the bed itself
- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)


Horizontal

opening



To order: choose 1 mechanism + 1 piston*

Mattress size	Mechanism	+	Piston	Dynamic loa rating
Double bed	8510014	-	841300H50	99 lb (45 kg)
Queen bed	8510016		84650H60	132 lb (60 kg
			84800H70	154 lb (70 kg
			841000H85	187 lb (85 kg



*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.

IMPORTANT

• Maximum load for the desk component: 22 lb (10 kg)

220 lb (100 kg)

Anti-tip lock included

841300H100

 Dimensions of the desk panel: Double bed: 77 9/16" x 20 7/8" x 3/4" to 1" (1970 x 530 x 19 to 25 mm) Queen bed: 83 1/2" x 18 7/8" x 3/4" to 1" (2120 x 480 x 19 to 25 mm)

The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.



FOLDAWAY AND MULTIFUNCTIONAL BED MECHANISMS

STELLA - FOLDAWAY BED/DESK MECHANISM WITH CONCEALED AUTOMATIC LEGS

Description


Advantages

- The foldaway Stella bed mechanism with concealed, auto-deploying legs creates an attractive open space with two functions. In the closed position, Stella offers a work desk for daytime use, while at night, it transforms into a comfortable bed for a restful sleep.
- The legs and desk component are synchronized to move with the bed itself
- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)



To order: choose 1 mechanism + 1 piston*

Mattress size	Mechanism	+	Piston	Dynamic load rating
Twin bed	8521012		841100V45	88 lb (40 kg)
Double bed	8520014		841000V50	99 lb (45 kg)
Queen bed	8520016		841300V55	121 lb (55 kg)
			841500V70	143 lb (65 kg)
How to choose the co			841600V75	154 lb (70 kg)
weight of the door $+ v$ of the mattress $=$ total		841800V85	187 lb (85 kg)	
Choose the piston wit	h the next		841900V10	220 lb (100 kg)



The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.

IMPORTANT

- Maximum load for the desk component: 22 lb (10 kg)
- Anti-tip lock included

• Dimensions of the desk panel:

Twin bed: 42 1/12" x 20 7/8 x 3/4" to 1" (1080 x 530 x 19 to 25 mm) Double bed: 57 31/64" x 20 7/8" x 3/4" to 1" (1460 x 530 x 19 to 25 mm) Queen bed: 63 25/64" x 20 7/8" x 3/4" to 1" (1610 x 530 x 19 to 25 mm)



Vertical

openina

FOLDAWAY AND MULTIFUNCTIONAL BED MECHANISMS

STELLA - FOLDAWAY BED/DESK MECHANISM WITH SHELF

Description

<u>Advantages</u>

The foldaway Stella bed/desk mechanism with shelf creates an attractive open space with two functions. In the closed position, Stella offers both a work desk for daytime use and shelf, while at night, it transforms into a comfortable bed for a restful sleep.

• The shelf and desk component are synchronized to move with the bed itself

- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)

Vertical

opening



To order: choose 1 mechanism + 1 piston*

1	To order: choo	ose 1 mecł	nanisr	n + 1 piston*			44 1/4" (1124 mm)	
	Mattress size	Mechanism	+	Piston	Dynamic load rating	12 5/8" (320 mm)	59 7/32" (1504 mm) 65 1/8" (1654 mm)	
	Twin bed	8520012	_	841100V45	88 lb (40 kg)			7 7/8" (200 mm)
	Double bed	8521014		841000V50	99 lb (45 kg)		82 1/16" (2084 mm) 82 1/16" (2084 mm)	
	Queen bed	8521016		841300V55	121 lb (55 kg)	л	87 3/16" (2214 mm)	20 7/8" (530 mm)
				841500V70	143 lb (65 kg)			27 3/4" (705 mm)
*How to choose the correct piston: weight of the door + weight of the mattress = total weight.		841600V75	154 lb (70 kg)	11 1/4" (285 mm)	81 1/8" (2060 mm)	52 15/16" (1345 mm)		
		841800V85	187 lb (85 kg)	11 1/4 (265 mm)	81 1/8" (2060 mm) 86 7/32" (2190 mm)	52 15/16" (1345 mm) 58 1/16" (1475 mm)		
	Choose the piston with the next			841900V10	220 lb (100 kg)			

The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.

IMPORTANT

- Maximum load for the desk component: 22 lb (10 kg)
- Maximum load for the shelf component: 11 lb (5 kg)
- Anti-tip lock included



highest weight capacity.

- Dimensions of the shelf panel: Twin bed: 41 7/8" x 7 7/8" x 3/4" (1064 x 200 x 19 mm) Double bed: 56 27/32" x 7 7/8" x 3/4" (1444 x 200 x 19 mm) Queen bed: 62 3/4" x 7 7/8" x 3/4" (1594 x 200 x 19 mm) Dimensions of the desk panel:
- Twin bed: 42 1/2" x 20 7/8" x 3/4" to 1" (1080 x 530 x 19 to 25 mm) Double bed: 57 31/64" x 20 7/8" x 3/4" to 1" (1460 x 530 x 19 to 25 mm) Queen bed : 63 25/64" x 20 7/8" x 3/4" to 1" (1610 x 530 x 19 to 25 mm)

CIELO - FOLDAWAY BED MECHANISM WITH CONCEALED AUTOMATIC LEGS

Description

The foldaway Cielo bed mechanism is perfect for maximizing space. This multifunctional unit adds space by making the most

of any usable area. By day, the room transforms into an open

area, while by night, the unit reveals a comfortable bed.

Advantages


- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)




To order: choose 1 mechanism + 1 piston*

Mattress size	Mechanism	+	Piston	Dynamic load rating
Twin bed	8410012	_	841300H50	99 lb (45 kg)
Double bed	8410014		84650H60	132 lb (60 kg)
Double bed	8412014**		84800H70	154 lb (70 kg)
Queen bed	8410016		841000H85	187 lb (85 kg)
Queen bed	8412016**		841300H100	220 lb (100 kg)

*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.





Horizontal

opening

The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.

IMPORTANT



CIELO - FOLDAWAY BED MECHANISM WITH CONCEALED AUTOMATIC LEGS

Description

The foldaway Cielo bed mechanism is perfect for maximizing

of any usable area. By day, the room transforms into an open

area, while by night, the unit reveals a comfortable bed.

space. This multifunctional unit adds space by making the most

Advantages

- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)

Vertical

opening

44 1/4" (1124 mm)



To order: choose 1 mechanism + 1 piston*

Mattress size	Mechanism	+	Piston	Dynamic load rating	12 5/8" (320 mm)	>	59 7/32" (150 65 1/8" (1654
Simple	8420012	-	841100V45	88 lb (40 kg)			
Double bed	8420014		841000V50	99 lb (45 kg)			82 1/
Double bed	8422014**		841300V55	121 lb (55 kg)	л		82 1/ [*] 87 3/*
Queen bed	8420016		841500V70	143 lb (65 kg)			
Queen bed	8422016**		841600V75	154 lb (70 kg)		1/8" (2060 mm)	
Queen bed half-frame	8420018		841800V85	187 lb (85 kg)		1/8" (2060 mm) 5 7/32" (2190 mm)	
nan-name			841900V10	220 lb (100 kg)	The dimensions shown in the d	rawings are the overall dime	nsions with 3/4" (19 m

*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.

IMPORTANT



CIELO - FOLDAWAY BED MECHANISM WITH SHELF

Description

The foldaway Cielo bed mechanism is perfect for maximizing space. This multifunctional unit adds space by making the most of any usable area. By day, the room transforms into an open area, while by night, the unit reveals a comfortable bed.


Advantages

- Safe, stable single shelving for books, picture frames, knick-knacks and other items
- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)



To order: choose 1 mechanism + 1 piston*

Mattress size	Mechanism	+	Piston	Dynamic load rating
Twin bed	8421012		841100V45	88 lb (40 kg)
Double bed	8421014		841000V50	99 lb (45 kg)
Queen bed	8421016		841300V55	121 lb (55 kg)
Queen bed	8423016**		841500V70	143 lb (65 kg)
Queen bed half-frame	8421018		841600V75	154 lb (70 kg)
			841800V85	187 lb (85 kg)



The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.

*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.

220 lb (100 kg)

841900V10

IMPORTANT

- Maximum load for the shelf component: 11 lb (5 kg)
- Dimensions of the shelf panel:
 - Twin bed: 41 7/8" x 7 7/8" x 3/4" (1064 x 200 x 19 mm) Double bed: 56 27/32" x 7 7/8" x 3/4" (1444 x 200 x 19 mm) Queen bed: 62 3/4" x 7 7/8" x 3/4" (1594 x 200 x 19 mm)

Vertical

openina

CIELO - TABLA BED MECHANISM WITH CONCEALED AUTOMATIC LEGS

Description

your masterpiece!

Eat, drink, play. It's around the dining

takes place. Combine with the CIELO wall bed mechanism and you have

table that much of life in the home


Advantages

- Suitable for Cielo vertical twin, double, and queen sizes
- Table top remains parallel to the floor when you pull up/down the door
- The legs and table components are synchronized to move with the bed itself
- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Can easily seat 5 people



To order: Tabla mechanism + choose 1 mechanism + 1 piston* amic load ating

Tabla mechanism	+	Mattress size	Mechanism	+	Piston	Dynamic load rating
8425050		Twin bed	8420012		841100V45	88 lb (40 kg)
		Double bed	8420014		841000V50	99 lb (45 kg)
		Queen bed	8420016		841300V55	121 lb (55 kg)
					841500V70	143 lb (65 kg)



*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.

IMPORTANT

Height between the table top and the door panel: 1 3/4" (45 mm). Max. table depth: Twin & double: 45 1/2" (1155 mm) Queen: 49 7/16" (1255 mm)

841600V75

841800V85 841900V10 154 lb (70 kg)

187 lb (85 kg)

220 lb (100 kg)

Table top thickness: 1" (25 mm) Table foot comes with adjustable leveler: 9/16" (15 mm)

The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.



Please refer to the installation instructions on our website for more details.

Vertical opening

CIELO - SOFA BED MECHANISM WITH CONCEALED AUTOMATIC LEGS

The foldaway Cielo sofa bed mechanism is a multitasker:

It is equipped with a SINGLE-MOVEMENT open-and-close

by day a comfortable sofa and by night, a cozy bed.

feature, the only one of its kind on the market!

Description

Advantages

- The legs and the sofa back are synchronized to move with the bed itself
- Single-movement opening and closing
- Static load rating: 1322 lb (600 kg)
- Matte nickel finish
- Concealed leg mechanism with adjustable levelers: +9/16" (15 mm)

Vertical

opening




To order: choose 1 mechanism + 1 sofa mechanism + 1 piston*

Mattress size	Mechanism	+	Sofa mechanism	+	Piston	Dynamic load rating
Double	8422014		8425180		841100V45	88 lb (40 kg)
Queen	8422016		8425170		841000V50	99 lb (45 kg)
					841300V55	121 lb (55 kg)
					841500V70	143 lb (65 kg)
					841600V75	154 lb (70 kg)
					841800V85	187 lb (85 kg)

841900V10

220 lb (100 kg)

*How to choose the correct piston: weight of the door + weight of the mattress = total weight. Choose the piston with the next highest weight capacity.



The dimensions shown in the drawings are the overall dimensions with 3/4" (19 mm) panel.



Please refer to the installation instructions on our website for more details.

IMPORTANT

• Sofa padding not included

TANDEM - BED/DESK MECHANISM WITH CONCEALED AUTOMATIC LEGS

Tandem is a foldaway single-bed mechanism that turns into a

sleek space-saving desk that gives you more room. A perfect

solution for teenagers and young adults. Also ideal for use in

school residence halls, fire stations and more!

Description

Advantages

- The mechanism opens and closes easily, and locks when in closed position
 - Static load rating: 1322 lb (600 kg)


Single

bed with

horizontal

opening

- Single-movement opening and closing
- Matte nickel finish



IMPORTANT

- Mattress weight required: 44 to 55 lb (20 to 25 kg) • Mattress thickness required: 7" (180 mm)
- Unit door weight required: 44-55 lb (20-25 kg)
- Maximum load for the desk component: 33 lb (15 kg)



SLIDING MECHANISM

SLIDING MECHANISM FOR BEDS AND DESKS

Description

Advantages

- Here's an ingenious solution for storing furniture and opening up more space with minimum effort. This sliding mechanism lets you quickly move several pieces of furniture one under the other to create more open space!
- An ideal solution for rooms that are used both for daytime activities and sleeping
- Store several pieces of furniture in the space normally • occupied by just one
- Easier and faster way to move beds and desks along the wall
- Stoppers allow you to move the furniture safely



To order:





- 1 right support plate with brake
- . 1 left support plate .
- 2 stoppers
- 2 end caps • 2 screws







Better rails

- Can be easily cut to measure
- Combine with other rails to increase length
- Quality materials for fluid sliding movement
- Supports up to two pieces of furniture
- (1 bed + 1 desk, 2 beds or 2 desks)

IMPORTANT

- One furniture unit per sliding mechanism
- Up to 2 sliding mechanisms can be installed per rail
- Multiple configurations through use of different rails and mechanisms
- Requires panel caster (see page 20)

Richelieu richelieu.com 13

Clear

space

instantly

KANGAROO BED LIFT MECHANISMS

KANGAROO LIFT MECHANISM AND BED FRAME

Description

Advantages

Richelieu offers a wide range of convenient mechanisms for creating under-bed storage that is easy and safe to access.

- Creates an extra storage areaEasy to install
- Simple to open and close
- Extends the life of your mattress

Effortless

access

• Static load rating: 772 lb (350 kg)



Metal bed frame with ood slats (1)	Metal bed frame with plywood	-						
	sheet (2)	+	Kangaroo mechanism	Maximum dynamic load rating		Complementary products	Description	Dimensions: Width x Length
XULT39	-		XKANG39	88lb (40kg)		481754130	Corner bracket	7 1/16" x 9 1/16" (180 x 230 mm)
XULT54	-		XKANG54S	110lb (50kg)				1 1/2" x 15 1/8"
XULT60	XULT60P		XKANG60S	198 lb (90 kg)		8400190	Fiber handle	(38 x 385 mm)
XULT80	XULT80P		XKANG80S	242 lb (110 kg)				
			XKANG140	308 lb (140kg)				
	and and a second a							
Ser.	- And a start of the start of t	_						
	and the second se	-+-			+.			
2				\searrow				
/						Corner bracket	- Fibe	er handle
Bed fra	mes			Piston				
	XULT54 XULT60 XULT80	XULT54 - XULT60 XULT60P	XULT54 - XULT60 XULT60P XULT80 XULT80P	XULT54 - XULT60 XULT60P XULT80 XULT80P XKANG60S XKANG140	XULT54 - XULT60 XULT60P XULT80 XULT80P XKANG60S 1981b (90kg) XKANG80S 2421b (110kg) XKANG140 308 lb (140kg)	XULT54 . XULT60 XULT60P XULT80 XULT80P XKANG60S 198 lb (90 kg) XKANG80S 242 lb (110 kg) XKANG140 308 lb (140 kg) 2 4	XULT54 . XULT50 XULT60P XULT80 XULT80P XKANG50S 198 lb (90 kg) XKANG140 308 lb (140 kg) XKANG140 308 lb (140 kg) + - 2 2	XULT54 . XULT54 . XULT60 XULT60P XKANG60S 1981b (90kg) XKANG140 308 lb (140kg) KANG140 308 lb (140kg) Corner bracket Fiber handle

IMPORTANT

Richelieu.com

How to choose the Kangaroo mechanism Step 1: weight of the bed frame + weight of your mattress = total weight. Step 2: choose the piston with the next highest weight capacity.

DOUBLE PISTON LIFT MECHANISM AND PREMIUM QUALITY BED FRAME

Description

Advantages

This innovative system utilizes an ingenious mechanism with double pistons for creating under-bed storage that is easy and safe to access.

- Stabilizing bar provides optimal stability
- Mattress support prevents tipping
- Automatic locking system
- Maximal static load rating for bed frames: 992 lb (450 kg)

To order:

Bed size	Metal bed frame with wood slats	+
Single bed	XULT39BMU	\rightarrow
Double bed	XULT54BMU	\rightarrow
Queen bed	XULT60BMU	\rightarrow
King bed	XULT80BMU	\rightarrow



Metal bed frame with wood slats

Mechanism Maximum dynai Ioad rating	
XULT39LM	881b (40kg)
XULT54LM	1101b (50kg)
XULT60LM	143 lb (65kg)
XULT80LM	165 lb (75 kg)
	XULT39LM XULT54LM XULT60LM



Double piston lift mechanism

Complementary products	Description	Dimensions : Width x Length
C240BMU	Set of 4 corners	9 7/16" x 4" (240 x 100 mm)



Corners

IMPORTANT

Please refer to the installation instructions on our website for more details.



Comfort

posture

FOLDAWAY BED MECHANISMS

VERTICAL WALL BED MECHANISM WITH PISTONS AND AUTOMATIC LEGS

Description

Advantages


- Open your foldaway bed effortlessly every day thanks to this proven mechanism and its clever system of automatic legs.
- Locking system engages in the open position
- Mattress straps and supports prevent tipping or movement

Effortless

everyday

use

- Static load rating: 1322 lb (600 kg)
- Metal bed frame with attachment for unit door



To order:

No.	Description Maximum dynamic		FRAME BED D	DIMENSIONS	INTERIOR DIMENSIONS REQUIRED		
140.	Description	load rating	Width	Length	Width	Height	
XULT39WBVT	Single bed	154 lb (70 kg)	40 3/16" (1020 mm)	76" (1930 mm)	42 3/4" (1086 mm)	82 1/8" (2085 mm)	
XULT54WBVT	Double bed	309 lb (140 kg)	55 1/8" (1400 mm)	76" (1930 mm)	57 3/4" (1466 mm)	82 1/8" (2085 mm)	
XULT60WBVT	Queen bed	309 lb (140 kg)	61" (1550 mm)	81" (2060 mm)	63 5/8" (1616 mm)	87 3/16" (2215 mm)	

IMPORTANT

- Horizontal model for double and Queen size beds available by special order When mounting the unit, use 3/4" (19 mm) front panels and 1" (25 mm) side panels
- Minimum interior depth: 16 1/8" (410 mm)



SINGLE HORIZONTAL WALL BED MECHANISM

Description

Whether you need an extra bed in your own home or for a business, this perfect space-saving solution is a quick way to install a foldaway bed or two bunkbeds that are both comfortable and safe to use. Also ideal for hotels and barracks!


Advantages

- The single-bed model can be installed high or low on the wall or as bunkbeds
- Mattress supports prevent any unwanted movement

1 bed or

2 bunkbeds

- Includes a locking mechanism when open
- for enhanced safety and easier operation
- Static load rating: 1322 lb (600 kg)



To order:

No.	Description	Maximum dynamic	FRAME BED DIMENSIONS		INTERIOR DIMENSIONS REQUIRED		
	Description	load rating	Width	Length	Width	Height	Minimum depth
XULT36WBHX	Upper bunk	154 lb (70 kg)	37 " (940 mm)	76" (1930 mm)	78 5/8" (1996 mm)	41 11/32" (1050 mm)	15 3/4" (400 mm)
XULT36WBHZ	Lower bunk	154 lb (70 kg)	37 " (940 mm)	76" (1930 mm)	78 5/8" (1996 mm)	41 11/32" (1050 mm)	15 3/4" (400 mm)

IMPORTANT

When mounting the unit, use 3/4" (19 mm) front panels and 1" (25 mm) side panels



VERTICAL FOLDAWAY BED MECHANISM

Description

Advantages

This mechanism gives you an easy, quick way for mounting a bed into a furniture unit.

- Bolt on the back of mechanism makes it easy to regulate spring tension
- Spring mechanism lifetime approved for 20,000 opening and closing cycles of the bed

Sturdy and confortable



To order:


Bed	Mechanism	Finish	MAXIMUM LOAD RATING	
size			Static	Dynamic
Single	108130	White	375 lb	154 lb
bed		(70 kg)		
Double	108230	White	661 lb	220 lb
bed	108290	Black	(300 kg)	(100 kg)
Queen	108430	White	661 lb	309 lb
bed	108490	Black	(300 kg)	(140 kg)

	Manually deployed legs	Finish	Height
4	40890	Nickel/	7 7/8" (200 mm)
1	41090	black	9 27/32" (250 mm)
	4082G		7 7/8" (200 mm)
2	4002G	Zinc/ white	9 27/32" (250 mm)
	4132G	WHITE	13 3/8" (340 mm)

Complementary product	Description
10810812	Reinforced plate for 5/8" (16 mm) & 3/4" (19 mm) side panels

IMPORTANT





 $2 \times 14 = 28$ slats

 $1 \times 18 = 18$ slats

 $2 \times 18 = 36$ slats

2 x 20 = 40 slats 2 x 20 = 40 slats

 $3 \times 20 = 60$ slats

 $2 \times 20 = 40$ slats

• Static load rating: 882 lb (400 kg)



IMPORTANT

В

С

D

XULT80BMU

XULT39

XULT54

XULT60

XULT80

XULT80FOLD

XULT81FOLD

XULT60P

XULT80P

*Frame dimensions: 1 1/4" x 1 1/2" (30 x 40 mm) / Wood slat dimensions: 2 5/8" x 3/8" (70 x 10 mm) **Frame dimensions: 1 1/4" x 1 1/4" (30 x 30 mm) / Wood slat dimensions: 2" x 3/8" (50 x 10 mm)

77 3/16" x 79 1/8" (1960 x 2010 mm)

38 1/2" x 74 1/2" (978 x 1892 mm)

53 1/2" x 74 1/2" (1359 x 1892 mm)

59 1/2" x 79 1/2" (1511 x 2019 mm)

(2x) 38 1/2" x 79 1/2" (978 x 2019 mm) 77 15/16"" x 79 1/2" (1980 x 2019 mm)

76" x 79 1/2" (1930 x 2019 mm)

59 1/2" x 79 1/2" (1511 x 2019 mm)

(2 x) 38 1/2" x 79 1/2" (978 x 2019 mm)



King bed

Single bed

Double bed

Queen bed

King bed

King bed

King bed


Queen bed

King bed

CASTERS FOR UNIT PANELS

Advantages

- Single direction design for use with dressers, small beds and other furniture
- Suitable for all indoor surfaces
- Gray finish





To order:

No.	Description	Panel depth	Dynamic load rating / caster
80964022100	Fixed	Min. 7/8" (22 mm)	132 lb (60 kg)
80954018100	With brake	Min. 3/4" (19 mm)	110 lb (50 kg)
809405010	With brake	Min. 1 3/16" (30 mm)	Max. 176 lb (80 kg)



Subtle

809405010





CANADA Tel.: 1 800 361-6000 Fax: 1 800 363-0193 UNITED STATES Tel.: 1 800 619-5446 Fax: 1 800 876-7454

(p)

(f)

D

Ø



Printed in Canada \$2 BED16E 01-2022

Follow us on